

## Skin Mimetic Ester Butter

This lightweight primer provides skin blurring and a smooth skin base.

Phase	%	Ingredient	INCI	Supplier	Function
1	32.50	Liponate™ CCC MB	Coco-Caprylate/Caprata	Vantage™	Emollient
1	10.00	Lipobutter™ Organic Shea- DWJ	Butyrospermum Parkii (Shea Butter)	Vantage™	Emollient
1	5.00	Lipocol™ C	Cetyl Alcohol	Vantage™	Stabilizer
1	1.00	Bio-Signal™ Lipid 10	Glycerin (and) Phospholipids	Vantage™	Active
1	5.00	Lipovol™ GTB	Tribehenin	Vantage™	Thickener/ Emollient
1	2.00	Liponate™ Jojoba 20	Jojoba Esters	Vantage™	Emollient
2	25.00	Sericite PHN	Mica	Presperse	Filler
2	15.00	Gransil PSQ	Polymethylsilsesquioxane	Grant	Functional Powder
2	3.00	Sunsil Oleo-130	Silica (and) Cetyl Alcohol	Vantage™/ Sunjin	Functional Powder
2	0.50	Colorona® RY	Mica (and) Titanium Dioxide (and) Carmine	EMD Performance Materials	Aesthetic Enhancement Agent
3	0.50	Diocide	Caprylyl Glycol (and) Phenoxyethanol (and) Hexylene Glycol	Centerchem	Preservative
4	0.50	Lemongrass Essential Oil	Fragrance	Premier Specialties	Fragrance

### Procedure:

1. Add Phase 1 to main vessel. Begin medium propeller mixing. Begin heating to 72-74°C.
2. Mix until uniform. Add Phase 2 ingredients one at a time. Mix until uniform.
3. At 72°C, add Phase 3 ingredient. Mix until uniform.
4. Add Phase 4 ingredient. Mix until uniform.
5. Pour samples off at 70-72°C.

Stability: Stable for 10 weeks (F/T, 45°C, 25°C)